



10 14 00
SIGNAGE

1. GENERAL

- A. Related sections:
 - i. 00 00 09 – Room & Space Numbering
 - ii. 01 58 00 – Campus Signage Standards
 - iii. 26 56 00 – Exterior Lighting (for requirements regarding exterior signage)
- B. For projects at the University of Georgia, Athens, Georgia campus, FMD will fabricate the interior environmental way finding signage for the Project. The Owner will provide the signs and the Contractor shall install them. The quantity and location of signs shall be agreed upon during the construction document design phase and the installation costs shall be included in the Contractor's Cost of the Work in the Guaranteed Maximum Price.
- C. For new single use occupancy toilet rooms, unless required by code to be labeled and have signage as a 'Family Restroom', shall be labeled in construction documents as 'Restroom'.

2. PRODUCTS

- A. The Design Professional shall develop a spreadsheet that lists room numbers in one column and room names in another column. The listing shall be organized by floor. The file shall be given to the Project Manager for use in developing final building signage.



10 21 13
TOILET COMPARTMENTS

1. GENERAL

- A. Related sections:
 - i. 10 28 13 – Toilet, Bath, and Laundry Accessories
- B. Use wall-mounted vanity panels at urinals.
- C. Coat hooks shall be mounted on permanent non-moving toilet partitions and shall not be mounted on the toilet compartment doors.
 - i. Coat hooks shall be mounted to the toilet compartment doors for Housing only.

2. PRODUCTS

- A. Toilet partitions shall be solid surface plastic HDPE (High Density Polyethylene) or solid phenolic panels that are floor-mounted and head-braced.
 - i. Toilet partition hardware shall be stainless steel.



10 26 13
CORNER GUARDS

1. GENERAL

- A. Provide corner guards in all public spaces, service areas and at specialty finishes.
- B. Protect outside corners of gypsum board partitions in public corridors to minimum 36-inch height as deemed appropriate by Project Manager.
- C. Prefer wall protection at chair rail height for public areas with moveable seating.

2. PRODUCTS

- A. Material as appropriate for specific conditions, coordinate with Project Manager.



10 28 00

TOILET, BATH, AND LAUNDRY ACCESSORIES

1. **GENERAL – For UGA Athens Campus Only**

- A. The UGA has sole source approval for soap, paper towels, and toilet paper products. The UGA will provide the dispensers for soap, toilet paper, and paper towels for the Project. The basic dispensers are provided by FMD Services at no additional cost to the Project. Some of the products are available in stainless steel material and some are available in plastic in a stainless steel color. The Contractor shall install the Owner provided toilet accessories listed above and shall include the installation costs as part of the Cost of the Work or Bid. The Contractor is responsible for coordinating in wall blocking.
 - i. **UGA Housing project only (new construction)** does not use the UGA standard toilet accessories and its requirements are listed separately below.
- B. Sanitary napkin dispensers shall not be included in the Project.
- C. Toilet seat cover dispensers are typically not included in UGA Projects. However, if a certain department wishes to include them, it shall be coordinated between the Design Professional and the Project Manager.

2. **PRODUCTS**

- A. Soap Dispenser (Information is provided for planning and coordination only, not for specification for purchase):
 - i. Manufacturer:
 - a. GOJO Industries
 - b. One GOJO Plaza, Suite 500, Akron, Ohio 44311
 - c. P.O. Box 991, Akron, Ohio 44309-0991 USA
 - d. 1-800-321-9647, 1-330-255-6000
 - ii. Model:
 - a. GOJO FMX-12 Dispenser
 - b. Product SKU Number: 5150-06
 - c. Website: <https://www.gojo.com/en/Product/5150-06>
 - d. See additional pages in this section for manufacturer data sheet.
 - iii. Capacity: 1250 mL Capacity
 - iv. Color and Material:
 - a. Standard is plastic in Gray with glossy finish.
 - b. Stainless steel is an option; similar style but may be a different model number.
 - v. Special Features:
 - a. ADA compliant one hand push operation
 - b. Includes optional key lock
- B. Toilet Tissue Dispenser (Information is provided for planning and coordination only, not for specification for purchase):
 - i. Twin Roll
 - a. Manufacturer / Vendor:
 - 1) Tork: <https://www.torkglobal.com/us/en>
 - b. Model:
 - 1) Tork OptiCore Twin Toilet Paper Roll Dispenser Black T-11
 - 2) Product Number: 565728

Revised
June 2026



- 3) Website: <https://www.torkglobal.com/us/en/product/565728>
 - 4) See additional pages in section for manufacturer data sheet.
 - c. Size: 7.18 in x 8.18 inches x 11.04 in
 - d. Color and Material:
 - 1) Standard is plastic Black
 - e. Special Features: ADA Title Compliant and Locking Cover
 - ii. 3-Roll
 - a. Manufacturer:
 - 1) Tork: <https://www.torkglobal.com/us/en>
 - b. Model:
 - 1) Tork OptiCore 3-Roll Toilet Paper Roll Dispenser Black T11
 - 2) Product Number: 565828
 - 3) Website: <https://www.torkglobal.com/us/en/product/565828>
 - 4) See additional pages in this section for manufacturer data sheet.
 - c. Size: 14.56 in x 14.12 in x 6.31 in
 - d. Weight: 3.4 lbs.
 - e. Color and Material:
 - 1) Standard is plastic in Black.
 - f. Special Features:
 - 1) ADA Title Compliant
 - 2) Locking Cover
- C. Paper Towel Dispenser (Information is provided for planning and coordination only, not for specification for purchase).
 - i. Tork 772728
 - a. Manufacturer:
 - 1) Tork: <https://www.torkglobal.com/us/en>
 - b. Model:
 - 1) Tork Mechanical Hand Towel Roll Dispenser
 - 2) Product Number: 772728
 - 3) Website: <https://www.torkglobal.com/us/en/product/772728>
 - c. Size: 15.95 in x 12.32 in x 9.32 in
 - d. Color and Material: Standard is plastic in Black .
 - e. Special Features: ADA Title Compliant
 - f. Notes:
 - 1) Design Professional is to coordinate final selection with Project Manager.
 - 2) See additional pages in section for manufacturer data sheet.
- D. Toilet and Bath Accessories – **For UGA Housing Only (New Construction)**
 - i. All products furnished and installed by Contractor unless noted otherwise.
 - ii. Public Restroom:
 - a. Toilet tissue dispenser equal to Bobrick B-2740 (Owner-furnished/ Owner-installed).
 - b. Grab bars equal to Bobrick #B-6806 with lengths as required by code.




- c. Partition-mounted feminine napkin disposal cabinet for two toilet compartments equal to Bobrick #B-354 (Owner-furnished/ Owner-installed).
 - d. Surface-mounted feminine napkin disposal cabinet equal to Bobrick #B-254 (Owner-furnished/ Owner-installed).
 - e. Soap dispensers provided and installed by Owner.
 - iii. Private Bath in Residential Unit:
 - a. Toilet Tissue Dispenser – single-roll, recessed units at non-rated walls, residential units equal to Bobrick #B-667 (Owner-furnished/ Owner-installed).
 - b. Toilet Tissue Dispenser – single-roll, surface-mounted units at fire-rated walls, residential units equal to Bobrick #B-2730 (Owner-furnished/ Owner-installed).
 - c. Grab bars, equal to Bobrick #B-6861.99 with lengths as required by code.
 - d. Towel bars, 1-inch diameter, 18 inches long, equal to Bobrick #B-530.
 - e. Robe/towel hook equal to Bradley SA37.
 - f. Shower rods equal to Bobrick #B-6047.
 - g. Shower seats equal to Bobrick #B-5181. Project-dependent selection, confirm with Project Manager.
 - iv. Custodial Closet:
 - a. Mop and broom holder (3-foot length) equal to Bobrick #B-223 X 36.




SOAP DISPENSER

GOJO FMX-12™ DISPENSER DIMENSIONS


These dimensions apply to GOJO®, PURELL®, PROVON® and MICRELL® brand FMX-12 dispensers.




Use the dimensions provided to ensure adequate wall spacing and clearance for the unit.



Front View



Side View



Back View



GOJO Industries, Inc.
One GOJO Plaza, Suite 500
P.O. Box 991 • Akron, OH 44309-0991
Tel: 1-330-255-6000 • Toll-free: 1-800-321-9647
Fax: 1-800-FAX-GOJO

©2014. GOJO Industries, Inc. All rights reserved.



TOILET TISSUE DISPENSER – TWO ROLL



Tork® Twin Bath Tissue Roll Dispenser for OptiCore® 565728



Description

Tork® Twin Bath Tissue Roll Dispenser for OptiCore® system holds two rolls of patented OptiCore® tissue. Designed for controlled-use dispensing and optimum savings in maintenance time and costs, this dispenser features an enclosed, front-facing design to keep tissue clean and hygienic, but easily accessible.

- OptiCore® technology reduces waste and cost by ensuring maximum use of each roll before the next roll is accessible.
- Robust design with lock to protect the roll and stop pilferage in demanding environments
- See-through window indicates when it's time to refill
- ADA compliant

Product Certifications



Product Details

System	T11
Color	Black, Black
Product height (without packaging)	7.18 in
Dispenser Material	plastic
Product width (without packaging)	11.04 in
Product length/depth (without packaging)	8.18 in

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	10073286639117	10073286639117	7322542698136
Packaging Material	Box	Carton	-
Pieces	1	1 (1 CON)	102 (102 TRP)
Height	7.17 in	7.64 in	45.72 in
Length	11.02 in	11.38 in	45.48 in
Width	8.19 in	9.02 in	38.37 in
Gross Weight	2.2 lb	2.69 lb	274.34 lb
Net Weight	2.2 lb	2.2 lb	224.4 lb
Volume	0.37 ft	0.45 ft	46.17 ft
Layers Per Pallet	-	-	6
TRP Per Layer	-	-	17



Tork® 3 Roll Bath Tissue Dispenser for OptiCore®

565828



Description

Tork® 3 Roll Bath Tissue Roll Dispenser for OptiCore® dispensing system is designed to minimize maintenance and maximize cost savings for high-traffic washrooms. It ensures that toilet paper will always be available for guests by holding three full rolls of tissue.

- Features a locking cover to prevent product pilferage.
- OptiCore® technology reduces waste and cost by ensuring maximum use of each roll before the next roll is accessible.
- ADA compliant

Product Certifications



Product Details

System	T11
Color	Black, Black
Product height (without packaging)	6.31 in
Dispenser Material	plastic
Product width (without packaging)	14.12 in
Product length/depth (without packaging)	14.56 in

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	10073286639131	10073286639131	7322541967721
Packaging Material	Box	Carton	-
Pieces	1	1 (1 CON)	60 (60 TRP)
Height	6.3 in	14.45 in	43.31 in
Length	14.13 in	14.69 in	50.75 in
Width	14.57 in	6.69 in	40.13 in
Gross Weight	3.6 lb	4.3 lb	257.94 lb
Net Weight	3.6 lb	3.6 lb	216 lb
Volume	0.75 ft	0.82 ft	51.05 ft
Layers Per Pallet	-	-	3
TRP Per Layer	-	-	20



Essity Professional Hygiene | North America LLC | Cira Centre, Suite 2600 | 2929 Arch Street | 19104 | Philadelphia | PA



PAPER TOWEL DISPENSER



Think ahead.

Tork Mechanical Hand Towel Roll Dispenser

772728



Description

Tork Mechanical Hand Towel Roll Dispenser is designed to last in busy restrooms and gives reliability you can count on. Durable and easy to maintain, it delivers a hygienic dispensing experience which reduces consumption with one at a time dispensing.

- One-at-a-time dispensing for reduced consumption and increased hygiene
- Long-lasting rolls minimize maintenance costs while maximizing service.
- Viewing windows make it easy to see when to refill and intuitive refilling saves time
- ADA compliant

Product Certifications



Product Details

System	H71
Color	Black
Product height (without packaging)	15.95 in
Dispenser Material	plastic
Product width (without packaging)	12.32 in
Product length/depth (without packaging)	9.32 in

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	10073286639193	10073286639193	7322540973648
Packaging Material	Box	Carton	-
Pieces	1	1 (1 CON)	54 (54 TRP)
Height	15.94 in	10.51 in	94.5 in
Length	12.32 in	18.11 in	42.75 in
Width	9.33 in	14.25 in	36.25 in
Gross Weight	6.9 lb	8.82 lb	476.32 lb
Net Weight	6.9 lb	6.9 lb	372.61 lb
Volume	1.06 ft	1.57 ft	84.75 ft
Layers Per Pallet	-	-	9
TRP Per Layer	-	-	6



Essity Professional Hygiene | North America LLC | Cira Centre, Suite 2600 | 2929 Arch Street | 19104 | Philadelphia | PA



10 44 00
FIRE PROTECTION SPECIALITIES

1. GENERAL

- A. Related sections:
 - i. 02 40 00 – Demolition
- B. The Design Professional shall specify all required new fire extinguishers and related accessories, and they shall be provided and installed by the Contractor as part of the Project.
- C. During renovations, Contractor shall salvage existing fire extinguishers with bar codes and notify the UGA PM. UGA PM shall notify UGA ESD when the bar-coded fire extinguishers are ready for pickup.

2. PRODUCTS

- A. Fire Extinguisher Cabinets
 - i. Semi-recessed fire extinguisher cabinets are preferred versus flush cabinets.
 - ii. For semi-recessed cabinets, provide “FIRE EXTINGUISHER” decal on both sides of cabinet that are perpendicular to wall.
 - iii. For flush cabinets, provide “FIRE EXTINGUISHER” three-dimensional sign above the cabinet to allow identification of cabinet from a distance.
 - iv. Housing projects only: Fire extinguisher cabinets shall have solid metal doors with no tamper alarms.



10 73 43
TRANSPORTATION SHELTERS

1. GENERAL

A. Related sections:

- i. University of Georgia Planning Principles – Site Campus Planning Principles – Site Furnishings – Transportation Shelters

2. PRODUCTS


A. **UGA Athens Campuses Only:**

Model: "UOG" Bus Shelter for the University of Georgia

Manufacturer: Lacor Streetscape (602) 371-3110, www.lacorstreetscape.com

The transportation (bus) shelters are fabricated per the information provided in this section. Refer to drawing at end of section.

- i. Transit Passenger shelter constructed of square steel tube with pitched roof and 16-gauge, 42% perforated vertical steel screens rivet fastened to C-Channel Frames, allowing for air circulation. Utilizes a shade screen fixed along entire back length of shelter and both ends. Removable roof design allows for ease in shipping, installation, and maintenance.
- ii. Size
 - a. 12'-6" long x 4'-6" deep x 7'-11-3/8" tall
 - b. Frame: 2 ½-inch Square Steel Tubing
 - c. Anchoring: ½-inch Anchor Bolts through Welded Steel Footing Plate
- iii. Finish/Color
 - a. Coating: Oven-Baked Powder Coating Finish
 - b. Color: Fine Texture Black
 - c. All Finishing Screws Need to Match Oven-Baked Powder Coat Finish and Color of Fine Texture Black
- iv. Roof: Standing Seam Steel Roofing



BUS SHELTER FOR UNIVERSITY OF GEORGIA

Copyright © 2006 Lacor Streetscape All Rights Reserved